

Message

---

**From:** Pavitt, John [Pavitt.John@epa.gov]  
**Sent:** 9/12/2019 8:37:16 PM  
**To:** Catie Coursen / Brad Broker (n1037@conocophillips.com) [n1037@conocophillips.com]  
**CC:** McClintock, Katie [McClintock.Katie@epa.gov]; Williams, Christopher [Williams.Christopher@epa.gov]; Olds, Jason R (DEC) [jason.olds@alaska.gov]; Howard, Breanna K (DEC) [breanna.howard@alaska.gov]; Mallinger, Hunter L (DEC) [hunter.mallinger@alaska.gov]; dylan.morrison (dylan.morrison@alaska.gov) [dylan.morrison@alaska.gov]  
**Subject:** EPA Air Compliance Inspection Report, CPAI CPF1  
**Attachments:** Air Compliance Inspection Report\_ConocoPhillips AK\_CPF1\_7-18-19.pdf



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
REGION 10**

1200 Sixth Avenue, Suite 155  
Seattle, Washington 98101-3188

**ENFORCEMENT &  
COMPLIANCE ASSURANCE  
DIVISION**

Catie Coursen / Brad Broker  
North Slope Environmental Coordinator  
Air Quality and Spills Plans

**Re:** Clean Air Act Compliance Evaluation Inspection at the ConocoPhillips Alaska, Central Processing Facility  
#1, Kuparuk River Field, AK

Dear Ms. Coursen and Mr. Broker:

On July 18, 2019, the United States Environmental Protection Agency (EPA) conducted a compliance inspection at your facility along with the Alaska Department of Environmental Conservation (ADEC). The purpose of the inspection was to determine compliance with the Clean Air Act (CAA), specifically, with New Source Performance Standards (NSPS), Subpart OOOOa – Standards of Performance for Crude Oil and Natural Gas Facilities. A copy of the inspection report is attached to this email. Please review the inspection report, note the areas of concern, and take any actions necessary to ensure compliance with the CAA.

An EPA Compliance Officer will use this inspection report in evaluating your facility's compliance with the CAA. This may result in subsequent contact from EPA personnel if a violation is identified. This message is sent only to transmit the inspection report, and it should not be interpreted as a final compliance determination. Please direct any questions regarding the compliance evaluation to me at [pavitt.john@epa.gov](mailto:pavitt.john@epa.gov).

Thank you for the cooperation and assistance extended to EPA and State personnel during the inspection.

Sincerely,

John Pavitt, Air Compliance Inspector  
Air and Toxics Enforcement Section  
U.S. EPA Region 10

Alaska Operations Office  
Anchorage, AK  
Phone: (907) 271-3688

Attachments:

1. Inspection Report